

TECH BEHIND THE SCENES

Chayapatr Archiwaranguprok
BKK.JS 23 / 11 July 2025

N SERIES

*MAD UN**⚡**CORN*

N SERIES

BETTER
SCALP
Saw

This Emmy-nominated prequ...
time attorney Jimmy McGill a...
challenged lawyer Saul Good...

▶ Play

i More



SERIES

MAD UNICORN

51 of 56m

▶ Resume



2025 Limited Series HD 16+ language

TOP 10 #1 in TV Shows Today

Cast: Natarra Nopparatayapon, Janeyeh Jiranorraphat, Dr. Palang Rocksilp, [more](#)

Genres: TV Dramas, Thai

This Show Is: Inspiring, Suspenseful

S1:E1 "A Sparrow and a Rooster"

Broke and desperate, aspiring entrepreneur Santi grasps at every opportunity to make it big, until he finds one that might just change his life.

Top 10 TV Shows in Thai

1

Recently Added



16+

The Haunted Palace

New Episode

Watch Now

N SERIES

BETTER
SCALP
Saw

This Emmy-nominated prequel
time attorney Jimmy McGill and
challenged lawyer Saul Goodman

▶ Play

i More




2025 Limited Series HD Subtitles
16+ language

TOP 10

#1 in TV Shows Today



Top 10 TV Shows in Thai



S1:E1 "A Sparrow and a Rooster"

Broke and desperate, aspiring entrepreneur Santi grasps at every
opportunity to make it big, until he finds one that might just change his
life.



▶ Resume



Cast: Natara Nopparatayapon, Janeyeh
Jiranorraphat, Dr. Palang Rocksilp, [more](#)

Genres: TV Dramas, Thai

This Show Is: Inspiring, Suspenseful



16+




โพสต์ของ Chayapatr Archiwaranguprok



Chayapatr Archiwaranguprok

30 พฤษภาคม · 🌐

ทำ Tech ในซีรีส์ยังไงให้สมจริง (?) - เรื่องเล่าจากกองถ่าย Netflix "สงคราม ส่องด่วน" ⚡💻... ดูเพิ่มเติม



แสดงความคิดเห็นในชื่อ Chayapatr Archiwaranguprok



CHAYAPATR ARCHIWARANGUPROK

Tech Advisor
for สหกรณ์ ส่งด่วน ⚡

CHAYAPATR ARCHIWARANGUPROK




Tech Advisor
for สงคราม ส่งด่วน ⚡

Front-end Developer
at **Thunder Express**

ขอเหี้ยอะไร ทูน่าหาได้ยัง



Behind the Scenes



Behind the Tech

*MIT Media Lab
Southeast Asia
Forum 2022*



พี่ไก่อ๋ม ฌุฬล บุญประกอบ
ผกก.สงคราม ส่งด่วน



1.5 YEARS

LATER...

เสียวหุยมองสันต้อย่างประหลาดใจ

จู่ๆ สันตก็เบี่ยงรถออกจากเส้นทางที่จะมุ่งหน้าเข้าเมือง

3. EXT. เรือลอยกลางทะเล จุดจอดเล่นน้ำ - DAY

ทีมเทควิ่งจากราบเรือแล้วกระโดดลงน้ำ ตุ่ม!

ภาพกว้างเผยให้เห็นว่าทีมงาน SR กำลังว่ายน้ำเล่นกันอยู่กลางทะเลอย่างสนุกสนาน ยกเว้นรุษเจียที่ยังนั่ง
กางคอมพิวเตอร์อยู่บนกราบเรือ ครุ่นหนึ่งรุษเจียโพล่งดังลั่น

รุษเจีย

ไอนั้น! มึงเขียนตัวแปรทำอะไรมา!!

มีแต่ตัวย่อ คนมาทำต่อมันจะตรัสรู้ได้มัย ไอ้ห่า!!



ทีมเทคหัวฟุ้งลอยค่ออยู่ในทะเล หน้าเจื่อนแต่ทำเป็นไม่สนใจ

บรรยากาศดูเจื่อนลง เสียวหุยมองรุษเจียอย่างแข็งๆ


สันตซึ่งนั่งสูบบุหรี่อยู่บนเรือหันมองรุษเจีย






รุ่ยเจีย Macbook Pro 15"




อัษฎา (Fullstack) → Macbook Pro 13
• Program: Atom
• Code: Vue + Node + React Native





อาร์ม (Backend+Infra) คอม Windows เครื่องใหญ่ / Macbook 15-16
• Program: Sublime / Terminal (Command Prompt)
• Code: Node




เบ็ญดา (Front-end) → Windows (Lenovo / Dell) / Macbook (Air/Pro)
• Program: Atom + Google Chrome
• Code: Vue + (Photoshop/Illustrator)



บัน (Mobile) Macbook Pro
• Program: XCode + Android Studio
• Code: React Native







Tech #4 → Backend → คล้าย ๆ อาร์ม
• Program: Sublime / Terminal (Command Prompt)
• Code: Node



Tech #5 → Mobile → คล้าย ๆ บัน
Macbook Pro



Tech #6 > Front → คล้าย ๆ เบ็ญดา
• อาจจะเปิด dashboard ป่อย (เป็นคนดู front หลังบ้าน)
• Program atom
• Code: Vue






อาร์ม (Backend+Infra) คอม Windows เครื่องใหญ่ / Macbook 15-16


- Program: Sublime / Terminal (Command Prompt)
- Code: Node



เบ๊ต้า (Front-end) → Windows (Lenovo)



- Program: Atom + Google Chrome
- Code: Vue + (Photoshop/Illustrator)











SR HQ / ELIZABETH HOTEL








Frame 9



Frame 12



Frame 15



The new `isLoading` prop can be enabled to display a loading spinner when the data is not yet available. This is useful for preventing the user from clicking on a button that is not yet enabled.

- The new `isLoading` prop can be enabled to display a loading spinner when the data is not yet available. This is useful for preventing the user from clicking on a button that is not yet enabled.
- The new `isLoading` prop can be enabled to display a loading spinner when the data is not yet available. This is useful for preventing the user from clicking on a button that is not yet enabled.
- The new `isLoading` prop can be enabled to display a loading spinner when the data is not yet available. This is useful for preventing the user from clicking on a button that is not yet enabled.
- The new `isLoading` prop can be enabled to display a loading spinner when the data is not yet available. This is useful for preventing the user from clicking on a button that is not yet enabled.

The new `isLoading` prop can be enabled to display a loading spinner when the data is not yet available. This is useful for preventing the user from clicking on a button that is not yet enabled.

- The new `isLoading` prop can be enabled to display a loading spinner when the data is not yet available. This is useful for preventing the user from clicking on a button that is not yet enabled.
- The new `isLoading` prop can be enabled to display a loading spinner when the data is not yet available. This is useful for preventing the user from clicking on a button that is not yet enabled.
- The new `isLoading` prop can be enabled to display a loading spinner when the data is not yet available. This is useful for preventing the user from clicking on a button that is not yet enabled.
- The new `isLoading` prop can be enabled to display a loading spinner when the data is not yet available. This is useful for preventing the user from clicking on a button that is not yet enabled.



Frame 13



Frame 14



Frame 16



Frame 19





Frame 17




Frame 20



Frame 18








creators
■ ga te




```
to an event', async ({ page }) => {  
  name: 'Stupid Hackathon Bangkok' }},  
  'The Stupid Hackathon Bangkok' })
```



```
const { deletePage } = require('...')  
const { deletePage } = require('...')  
const { deletePage } = require('...')
```



A man with dark hair, wearing a white shirt, is shown in profile, looking intently at a smartphone he is holding. He is standing in front of a green chain-link fence, which appears to be part of a tennis court. The background shows trees and a clear sky, suggesting an outdoor setting during the day. The overall tone of the image is slightly muted, with a dark overlay.


// Behind the Tech

บอม
'ทันเต๋อ' คับป้า แบบภาษาอีสานอะ
ส่งทันเต๋อพี่น้องหมู่เฮา

สามีข้าเจื่อนๆ ดูไม่ไว้ใจหนักกว่าเดิม

บอม
ผมชัดเลยนะป้า

Quick cut พร้อมเพลงสนุกๆ : บอมกรอกที่อยู่ลงมือถือ iData /เอาถุงตาข่ายแขวนกับเครื่องเพื่อซัง
น้ำหนักพัสดุ แต่จู่ๆ หน้าจอ idata ขึ้น error บอมชะงัก
ภาพตัดไป บอม โทรศัพท์คุยกับธงชัย






15.INT. ห้องเก็บของ - DAY

รุษैयाพึ่งกำแพงสีหน้าหนักใจ ตรงหน้ามีสันติยืนถือโน้ตบุ๊กของรุษैयाดูข้อมูลอยู่

รุษैया

กูเช็คดูแล้ว 2 วันก่อน


ไอ้เสี่ยวหยุตาวนโหลตงบการเงินออกไปจริงๆ




36.INT/EXT. หลายสถานที่ - DAY



Quick Cut : มีคนกำลังเถือเลือกซื้อสินค้าในแอป Mally / มีคนกดใช้คุปอง / เห็นวัยรุ่นไลฟ์ขาย
เสื้อผ้ามือสองพลาจกีนน้ำไปด้วย / คนไลฟ์ขายขนมสันกระตึงร้าว / คนไลฟ์ขายชมพูพุ่มพร้อมกับเต็นไปด้วย /
มีคนเถือแอปเลือกบริษัทจัดส่งที่มีทั้ง EASY, Thunder, FENIX, ShipSmart มีทั้งคนกดเลือก Thunder และ
คนกดเลือก EASY


Overall - Draft 2









PWA






```
style="height: calc(3.5rem + 0.7 * env(safe-area-inset-top));  
padding-top: calc(env(safe-area-inset-top) - 0.8rem)"
```





MUC-APP.PAGES.DEV


Bandwidth

Bytes used across your domains

[Learn more about bandwidth usage in the docs ↗](#)

Bandwidth used per day

Mar 9 to Jun 7 inclusive





muc-app.pages.dev [↗](#)

Created 10 hours ago



[Manage site](#) { } JS Snippet installation

Page views (Last 24 hrs)

136.9k

Visits (Last 24 hrs)

55.2k



muc-app.netlify.app [↗](#)

Created a day ago



[Manage site](#) { } JS Snippet installation

Page views (Last 24 hrs)

174.2k

Visits (Last 24 hrs)


70.6k

FUN FACT:

FUN FACT:


**ทำไมรถยนต์ถึง
หัวร้อนตลอดเวลา?**

000 SHUTTER 172.8 IRIS - EI 800 ND - WB 5500 K +2.0 CC




BAT 23.6V B_0262 C008 REC MEDIA 0:10 h TC 14:51:44:16

CAMERA-B
M YOSS





000 SHUTTER 172.8 IRIS - EI 800 ND - WB 5500 K +2.0 CC



BAT 23.6V B_0262 C008 REC MEDIA 0:10 h TC 14:51:44:16

CAMERA-B
M YOSS






ออกจาก vim ไม่ได้

000 SHUTTER 172.8 IRIS - EI 800 ND - WB 5500 K +2.0 CC



GITHUB.COM/ CREATORSGARTEN/ GARDEN-GATE



creatorsgarten / garden-gate

Type to search

Code Issues 2 Pull requests 1 Actions Projects Wiki Security Insights Settings

main garden-gate/src/verify.ts

Go to file

rayrify and dtinth refactor ely to run on node (#8) 7bf4ea4 · 2 years ago

Code Blame 41 lines (37 loc) · 1.33 KB

Raw




```
1 import { GATE_CONFIG } from './constants.js'
2 import { createRemoteJWKSet, jwtVerify } from 'jose'
3
4 const issuer = 'https://accounts.google.com'
5 const keySetUrl = new URL('https://www.googleapis.com/oauth2/v3/certs')
6 const keySet = createRemoteJWKSet(keySetUrl)
7 function validate(jwt: string) {
8   return jwtVerify(jwt, keySet, {
9     issuer,
10    audience: GATE_CONFIG.allowedAudiences,
11  })
12 }
13
14 class AuthorizationError extends Error {
15   code = 401
16   status = 'Unauthorized'
17   constructor(message: string, cause?: unknown) {
18     super(message + (cause ? `: ${cause}` : ''), { cause })
19   }
20 }
```

Symbols

Find definitions and references for function and other symbols in this file by clicking a symbol below or in the code.

Filter symbols




- func validate
- class AuthorizationError
- func constructor
- func verifyRequestAuthenticity



bangkok
open source
hackathon




เป็นสมาชิก





ทำ Tech ในซีรีส์ยังไงให้สมจริง (?) — เรื่องเล่าจากกองถ่าย Netflix “สงคราม ส่งด่วน”



Chayapatr Archiwaranguprok

Follow

12 min read · May 30, 2025



299



4



หากคุณเป็นคนสาย tech คนหนึ่งที่ดูหนังหรือซีรีส์ที่มีซีน tech แล้วรู้สึกขี้ใจตลก — เราคือเพื่อนกัน (55) และหลังจากที่ไปวิจารณ์ของคนอื่นมาซะเยอะ เวิร์กกรรมก็ตามสนอง ด้วยการได้มาเป็นที่ปรึกษาด้าน tech ให้กับซีรีส์ “สงคราม ส่งด่วน” (Mad Unicorn) โดย Netflix ร่วมกับ GDH ซะเอง โพสต์นี้จะมาเล่าเบื้องลึกเบื้องหลังความวายป่วงของสิ่งที่เกิดขึ้นกับพาร์ทงานตัวเองตั้งแต่ก่อนเริ่มกองยันหลังปิดกองซะ

Disclaimer: โพสต์นี้ค่อนข้างจะยาวมากและมีสปอยล์ (พยายามไม่ให้เยอะมาก — แต่ถ้านั่นสำคัญ ๆ เดี่ยว remark ไว้) โปรดอย่าลืมเตรียมป๊อปคอร์นและน้ำไว้เพื่อรับประทานระหว่างอ่านครับ 🙄

บทนำ: **Script, World Building,** และด่าทีมเทคยังงี้ดี?

FULL
VERSION

CHAYAPATR.
MEDIUM.
COM

QA

The image displays a logo consisting of the letters 'QA' in a bold, white, sans-serif font. A bright yellow lightning bolt, with a jagged, multi-pointed shape, strikes the letter 'A' from the upper left. The entire graphic is set against a solid black background.

TECH BEHIND THE SCENES

Chayapatr Archiwaranguprok
BKK.JS 23 / 11 July 2025

N SERIES

*MAD UN**⚡**CORN*