Make Coding
Less Scary

15 Oct 23 - XTOBER.23

Chayapatr Archiwaranguprok
@chayapatr

Front-end Dev (Astro/ Svelte)
Organizer at Creatorsgarten

How do I contribute open source?

👽 Make Coding Less Scary

How can I contribute open source?

👽 Make Coding Less Scary

🥔 → 🤘😎🚀

👽 Make Coding Less Scary

How did I start coding?

Competitive Programming

Make Coding Less Scary

Crafting Stuffs

👽 Make Coding Less Scary

Create
Explore
Share

👽 Make Coding Less Scary

Create
Explore
Share

👽 Make Coding Less Scary

👋 Hi, my name is Pub.
I live in Bangkok.

Stories   Crafts   Pub   Garden

Hi there!

My name is Chayapatr (or Pub, for short). I am an editor-in-chief at *Spaceth.co*, and a chief curator at *Creatorsgarten*. Welcome to my personal site/dumpster fire 🔥

(Pub at TEDxUTCC)

2023

- co-hosted *how to learn almost anything* with tk park and thaicom foundation

- co-created *thaiui*, a humanistic design system for thais

- learned syntax and corpus lingustics at chulalongkorn university [*writeups*]

{"w":1440,"h":900,"sh":900}

897, 429

no need to aim
for the best solution
from the beginning

👽 Make Coding Less Scary

Stats for nerds

{"w":1440,"h":900,"sh":900}

(Back)

897, 429

```svelte
69      </script>
70
71      <svelte:window
72              on:resize={() => {
73                      dp = updateDP()
74                      grid = updateGrid()
75              }}
76      />
77
78      <div>
79              <div
80                      class="absolute bg-neutral-50 top-0 left-0 flex justify-start items-start flex-col"
81                      style={dp ? `height: ${dp.h}px; width: ${dp.w}px` : null}
82              >
83                      {#each grid as row, i}
84                              <div class="flex">
85                                      {#each row as cell, j}
86                                              <div
87                                                      class={`cell ${grid[i][j] ? 'bg-neutral-300' : 'bg-neutral-100'}`}
88                                                      style={dp ? `width: ${dp.w / grid[0].length}px` : null}
89                                                      on:mouseenter={() => {
90                                                              grid[i][j] = grid[i][j] ? 0 : 1
91                                                      }}
92                                              />
93                                      {/each}
94                              </div>
95                      {/each}
96              </div>
97
98              {#if stats}
99                      <div
100                             class="absolute top-0 left-0 m-4 p-4 border-2 border-neutral-300 rounded-md shadow-md bg-white"
101                     >
102                             <h2 class="text-xl">Stats for nerds</h2>
103                             <p class="font--['Basier_Circle']">{JSON.stringify(dp)}</p>
104                     </div>
105             {/if}
106     </div>
```

Iterate
& Optimize

👽 Make Coding Less Scary

Fuck around
& Find out!

👽 Make Coding Less Scary

github.com/
chayapatr/site

"What I cannot create,
I do not understand"

Richard Feynman

Create
Explore
Share

👽 Make Coding Less Scary

👽 Make Coding Less Scary

chayapatr_goodwill.txt

Open with TextEdit

Get More Storage   Learn Mor

ไทย| |มี|ตัว|บน| |ตัว|ล่าง| |แถม|แถว|ล่าง|ของ|ข้อความ|ลงท้าย|ดู|เว้นวรรค| |4| |ช่วง|เหมือน|คำ|ว่า| |วันที่| |xx| |เดือน|อะไร|ชัก|อย่าง| |

ติอ|ฮ|พร้อ| |แพล|เ|ที่อ|ฅุ|ขึ้น|ไป|ที่|หัว|ฅวฅมฅ| |ดั่ว|สวร|ฅ|ฅับปี้| |เ|ป็น|ของ|ไทย|อฅ| |เฅรฅฅ|เข้า|ไว้|ด่| |ฅรฅ|ดังฅฅฅฅ|ดูเหมือน|ตรฅ|พระฅฅฅ

ce| |Race| |ที่|ตั้งใจ|จะ|เขียน|ตอน|
draft| |ไว้| |แล้ว|กลับมา|เขียน|
ดืน|เรื่อง|เหรียญ|อันนี้|แยก|ต่อ|
รียบร้อย| |ก็|ลืม|ด|รา|ฟ|เรื่อง|

scrape

scraper.js > scrapeAuthor

```
 94        console.log(`skipping ${links[i]}`);
 95        continue;
 96      }
 97
 98      await page.goto(links[i]);
 99      console.log(`fetch: ${links[i]}`);
100      const text = await getPageData(page);      You, 7 minutes ago
101
102      fs.writeFile(`scrape/${author}/${slug}.txt`, text, function (err) {
103        if (err) throw err;
104        console.log(`write file: ${slug}`);
105      });
106
107      await page.goBack();
108    }
109  }
110 };
111
112 const scrape = async () => {
113    const browser = await puppeteer.launch({ headless: true });
114    const page = await browser.newPage();
115
```

tokenizer.py   scraper.js M ✕   word_count.py   .gitignc

เขียน|ลง|เพจ| |แล้ว|เจอ|คำถาม|

	All		Mankind	:		The	
จาก		University	of	
	จาก	ยุค	นั้น		แต่		เพราะ	มัน
ะ	มี	ภาพ	ต้นฉบับ	จริง	มั้ย		เพราะ
จอ	ว่า	ใน		ส่วน	ของ		author	

chanud_luna-15-vs-apollo-11.txt
Out of Space

chanud_lunar-crater-r...cope.txt
Out of Space

chayapatr_crew-demo-2...unch.txt
Out of Space

chayapatr_dna-storage.txt
Out of Space

chayapatr_futuret
alks-ep2.txt

chayapatr_goodw
ill.txt

AntConc

| Cluster | N-Gram | Collocate | Word | Keyword | Wordcloud |

Hits: 148

req	NormFreq	Dispersion	Plot
6	7682.458	0.631	
17	18046.709	0.617	
8	2222.222	0.592	
4	1493.094	0.592	
14	13182.674	0.587	
7	2640.513	0.571	
7	5977.797	0.571	
7	2559.415	0.571	

modified: .gitignore
deleted: flatten.py

|NASA| |JSC| |Oral| |Hi
ผ่าน|การ|สัมภาษณ์|บุคคล|ที่|เ
Affair| |ของ|นาซา|ที่|มีบท

chayapatr_dna-storage.t
chayapatr_dune.txt
chayapatr_fish-in-space.

king-in-space.txt   2735

start learning from what you know
start crafting from what you can

👽 Make Coding Less Scary

Create
Explore
Share

👽 Make Coding Less Scary

Tortilla endofunctors, and
more jokes about monads 🌯

Chayapatr Archiwaranguprok
Functional Programming Meetup

(functional programming meetup)

CLEVERSE

That's where we can create and explore

THE FEYNMAN TECHNIQUE

1. Choose a concept to learn

2. Teach it to yourself or someone else

3. Return to the source material if you get stuck

4. Simplify your explanations and create analogies

https://todoist.com/inspiration/
feynman-technique

Get familiar
with coding

👽 Make Coding Less Scary

Contributing
Open Source

Make Coding Less Scary

Chayapatr Archiwaranguprok